

# Multiflight are pleased to present

## Two AS365N2 IFR EMS Equipped Helicopters



### Aircraft Information

Serial number: 6431 & 6407

Airframe hours:

G-NHAA 4608 TSN

G-NHAB 4835 TSN

Year: 1991

- HEMS equipped
  - Single stretcher
  - Two medical rear seats
- FDMC equipped
- Part-CAT compliant

Price on application

## G-NHAA

### Equipment Installed

- Fuel flow meter
- Storm instrument lighting
- Retractable landing lights L/H & R/H
- Pilot and Co-pilot in height adjustable seats
- Quiet fenestron
- HISL strobe lights
- iAero FDM/FDR
- 43 amp hr battery

### Avionic Equipment Installed

- Autopilot - 3 Axis SFIM 155 D
- TCAS 791 BF Goodrich
- Coupler CDV 85
- Transponder - Becker BXP6400
- ADF - Honeywell KDF 806
- DME - Honeywell KDM 706A
- Skyforce Skymap III C
- Radar - Bendix 1400
- Radar altimeter - TRT AHV 8
- VHF COM - TRIG TY92
- CVR - Universal 30B
- ELT
- VHF Nav - Honeywell KNR 634
- ICS - Team TB31

## G-NHAB

### Equipment Installed

- Fuel flow meter
- Storm instrument lighting
- Retractable landing lights L/H & R/H
- Quiet fenestron
- iAero FDM/FDR
- 43 amp hr battery

### Avionic Equipment Installed

- Autopilot - 3 Axis SFIM 155 D
- 1 Coupler CDV 85
- Transponder Becker BXP6401
- ADF - Honeywell KDF 806
- DME - Honeywell KDM 706
- Moving map & radar - KTA870/KMD850, EGPWS and TAS
- Radar altimeter - KRA 405B
- VHF COM - TRIG TY92
- ICS - Team TB31
- CVR - Universal 30B
- VHF Nav - Honeywell KNR 634
- RDR 2000 RADAR
- ELT
- Skyforce Skymap III C
- GPS - KLN 900



## Time Component

### G-NHAA

- Lower attachment beam 2706
- Upper attachment beam 2706
- Spherical thrust bearing 2410
- Starflex 1450
- Main rotor mast 403
- Main rotor gearbox 1720
- Tail rotor gearbox 1457
- Fenestron blades 5071
- Main gear box roving bar 2196
- TR drive shaft - centre 5106
- TR drive shaft fwd 1391
- TR drive shaft aft 1735
- T/R servo control 2622
- M/R servo control 2822
- M/R servo control 866
- M/R servo control 172

### G-NHAB

- Lower attachment beam 3806
- Upper attachment beam 3806
- Spherical thrust bearing 2655
- Starflex 4966
- Main rotor mast 1116
- Main rotor gearbox 1865
- Tail rotor gearbox 223
- Fenestron blades 1638
- Main gear box roving bar 1091
- TR drive shaft - centre 3649
- TR drive shaft fwd 3278
- TR drive shaft aft 391
- T/R servo control 2637
- M/R servo control 2270
- M/R servo control 610
- M/R servo control 611

## Medical Equipment Fitted

- ParaPac 200D ventilator
- B.Braun infusion pump
- SSCOR Inc vacuum pump
- Corpuls 3 defibrillator
- Life port medical seats
- Lifeport MedDeck
- Lifeport Aerosled with pneumatically assisted backrest
- High intensity rear cabin LED lights

NB: Subject to change as aircraft are operational - 18/10/19



Address: South Side Aviation Centre, Leeds Bradford International Airport, Leeds, West Yorkshire, LS19 7UG, UK  
Telephone: (UK) +44(0) 113 238 7112 Email: [steve.borrowdale@multiflight.com](mailto:steve.borrowdale@multiflight.com) Website: [www.multiflight.com](http://www.multiflight.com)